# INDEX.


| | Page. |
|---|---|
| Acanthothrips magnafemoralis | 45 |
| Acerodon jubatus jubatus | 306 |
| mindanensis | 306 |
| lucifer | 306 |
| Achorotile | 578 |
| albosignata | 578 |
| foveata | 579 |
| Acromestopia maculata | 150 |
| punctata | 150 |
| Actinometra robustipinna | 279, 281, 282, 285, 286 |
| Æolothrips bicolor | 42 |
| fasciatus | 42 |
| Æshna multicolor | 112, 113 |
| Aglaojoppidea pictipennis | 369 |
| Agromyza flavitarsis | 136 |
| infuscata | 143 |
| lacteipennis | 144 |
| laterella | 136 |
| morosa | 136 |
| obscurella | 143 |
| pectinata | 143 |
| scutellata | 136 |
| securicornis | 136 |
| tritici | 143 |
| vagans | 143 |
| Agromyzidæ, a synopsis of the genera of | 127 |
| Aldrichiella agromyzina | 136 |
| America, new Pycnodont fishes from | 445 |
| Amnicola saltillensis | 234 |
| Amphiagrion saucium | 112, 113 |
| Amphimerus pseudofelineus | 82 |
| Anaphoidea latipennis | 350 |
| Anaphothrips arizonensis | 12 |
| striatus | 42 |
| Ancylocentrus ater | 363 |
| Ancylostoma caninum | 83 |
| Angitia hermione | 501 |
| onerosa | 501 |
| orestes | 500 |
| thacia | 500 |
| Anommodus latidens | 448, 449 |
| mississippiensis | 449 |
| phaseolus | 448 |
| robustus | 448 |
| Anorena | 513 |
| hyrtacides | 513 |
| Anseropoda macropora | 219 |
| Antarchaea polia | 537 |
| Antedon acuticirra | 280 |
| bipartipinna | 280 |
| crassipinna | 280, 281 |
| inopinata | 280, 281 |
| kraepelini | 279, 280, 281 |
| martensi | 279, 280, 286 |
| palmata | 281 |
| Anthothrips niger | 45 |
| verbasci | 45 |

| | Page. |
|---|---|
| Aonyx cinerea | 312 |
| Apanteles (Protapanteles) cacoeciæ | 366 |
| iglesiasi | 365 |
| Aplatis onerosa | 500 |
| Apomys hylocoetes | 327 |
| insignis bardus | 327 |
| insignis | 327 |
| major | 328 |
| microdon | 327 |
| musculus | 327, 328 |
| petræus | 327 |
| Archeology, investigations in, in Ste. Genevieve County, Missouri | 641 |
| Arctictis whitei | 336 |
| Argyrostrotis eurysaces | 486 |
| Asiraca insignicornis | 565 |
| Aspigonus (Baeacis) abietis | 359 |
| diversicornis | 359 |
| stramineicolor | 359 |
| Asplanchnopus hyalinus | 402 |
| multiceps | 403 |
| Asterodiscus elegans | 211 |
| helonotus | 210 |
| truncatus | 210 |
| tuberculosus | 211 |
| Asthenactis medusa | 224 |
| papyraceus | 224 |
| Ateneria | 514 |
| crinipuncta | 513 |
| Auchenia hesterna | 267 |
| huerfanensis | 267, 269, 270, 271, 272, 276 |
| Azatha pulchra | 516 |
| Baccharis cordifolia | 633 |
| Bahama Islands, new mollusks from the | 107 |
| Bakerella | 601 |
| maculata | 601 |
| Banians athamas | 542 |
| crucilla | 543 |
| gulussa | 542 |
| gyas | 544 |
| hellæ | 543 |
| herceus | 544 |
| nephele | 545 |
| phruxus | 545 |
| serpens | 544 |
| Bartsch, Paul, New mollusks from the Bahama Islands | 107 |
| Bassler, R. S., Notes on an unusually fine slab of fossil crinoids | 57 |
| Batomys dentatus | 326 |
| grantii | 338 |
| Bats of the genus Glossophaga, revision of the | 413 |
| Bats of the genus Molossus | 85 |
| Bendis gentilis | 521 |
| nigrilunata | 521 |
| Benthopecten acanthonotus | 207, 208 |
| antarcticus | 207 |

Page.

Benthopecten huddlestonii ..... 207
moluccanus ..... 207
mutabilis ..... 208
polyctenius ..... 208, 209
semisquamatus ..... 207
spinosus ..... 207
styracius ..... 208
violaceus ..... 208
Bergia ..... 632
nimbata ..... 632
Bison alleni ..... 182, 183, 184, 186, 187, 188, 189, 190
antiquus ..... 162, 164, 166, 169, 181
bison ... 169, 170, 171, 176, 178, 185, 188, 189, 196
bonasus ..... 162, 191
californicus ..... 164, 166
crassicornis ..... 165, 176, 179, 180
europæus ..... 191
lenensis ..... 163, 192
latifrons ..... 161, 162, 164, 192, 195, 196
occidentalis ..... 165, 166, 167, 169, 173, 175, 176, 177, 178, 181, 185, 191
primitivus ..... 163, 177
priscus ..... 161, 162, 164, 178
regius ..... 185, 187, 193, 192, 194, 195
uriformis ..... 163
Bisons, extinct, of North America; with description of one new species, Bison regius .. 161
Bos primigenius ..... 164, 191, 192
priscus ..... 162, 164, 166, 181, 190
urus priscus ..... 163
Bostaera ..... 577
nasuta ..... 578
Botanobiinæ, the genera of flies in the subfamily ..... 239
Brachixiphosoma pyralidis ..... 61
Bracon interruptus ..... 363
semifasciatus ..... 361
(Tropidobracon) meromyzæ ..... 432
(Brasema) Anastatus rugosicollis ..... 347
Bregmatothrips venustus ..... 42
Bromeliaceæ, new moth-flies bred from ..... 103
Bubalus ..... 340
bubalis ..... 333
caffer ..... 196
mindorensis ..... 333
moellendorffi ..... 340
Bullimus bagobus ..... 324
luzonicus ..... 324
Bumping Lake, Washington, notes on the Odonata or dragon flies of ..... 111
Bushnell, David I., jr., Archeological investigations in Ste. Genevieve County, Missouri ..... 641
California, coast of, fishes of the genus Osmerus from ..... 291
Camelops, camels of the fossil genus ..... 267
californicus ..... 276
hesternus ..... 269, 270, 275, 276
huerfanensis ..... 269, 270, 271, 272, 275
kansanus ..... 267, 269, 270, 275, 276
macrocephalus ..... 276
niobrarensis ..... 276
sulcatus ..... 275
vitakerianus ..... 276
Camels of the fossil genus Camelops ..... 267
Canis armbrusteri ..... 98, 102

Page.

Canis familiaris ..... 313
occidentalis ..... 98
Capnodes abas ..... 533
accumulata ..... 535
acron ..... 534
æson ..... 532
anthea ..... 537
baccata ..... 529
barbinæ ..... 530
barcas ..... 534
calais ..... 529
ceres ..... 535
deois ..... 533
gladysia ..... 536
hamilcar ..... 534
hannibal ..... 532
partita ..... 531
pelops ..... 531
phaedra ..... 530
stellifera ..... 529
tyroe ..... 536
Capromys elegans ..... 337
Carpomys melanurus ..... 326
phæurus ..... 338
Celænomys silaceus ..... 315
Celebes, new starfishes from ..... 201
Cephalothrips yuccæ ..... 45
Cepolis maynardi ..... 109
elevata ..... 109
Cerion (Strophiops) pepperi ..... 108
Cerithiopia ? burkevillensis ..... 231
Ceromacra cebrenis ..... 537
Cervus culionensis ..... 339
nigricans ..... 339
soloensis ..... 340
steerii ..... 339
Chærephon jobensis ..... 312
luzonus ..... 312
plicatus ..... 312
pusillus ..... 312
Champsodon vorax ..... 67
Cheiraster gazellæ ..... 205, 206
granulatus ..... 206
ludwigi ..... 205, 206
subtuberculatus ..... 206
triplacanthus ..... 206
trullipes ..... 206
Chelonus (Chelonella) szepligetii ..... 360
sobrinus ..... 360
Chilophylia hirsuta ..... 309
Chirothrips crassus ..... 42
manicatus ..... 42
Chloriona nigrifrons ..... 631
Chryseida inopinata ..... 345
Chytonidia ..... 489
chloristis ..... 489
Chytonix chloe ..... 488
commixta ..... 487
pyrrha ..... 488
Clark, Austin Hobart, Revision of the crinoid genus Himerometra ..... 279
Cochise ..... 576
apacheanus ..... 577
Cockerell, T. D. A., New parasitic hymenoptera of the genus Eiphosoma ..... 61
Cœlinidea ferruginea ..... 434

Page.

Coelodus browni ... 447, 448
cantabrigiensis ... 446, 448
decaturensis ... 447
fabadens ... 446
mantelli ... 447
stantoni ... 447
Coloptychium agaricoides ... 156
deciminum ... 156
jerseyense ... 155
princeps ... 156
seebachi ... 156
Colodes ... 493
selecta ... 493
Comanthus bennetti ... 281
Conomelus tricarinatus ... 572
Copeus pachyurus ... 302
triangulatus ... 302
Copicerus ... 564
insignicornis ... 565
irroratus ... 564
thoracicus ... 565
swartzii ... 564, 565
thoracicus ... 565
Corna cenone ... 541
Coyote, a new nematode from the ... 73
Crabs of the families Grapsidæ and Ocypodidæ, new species of ... 353
Craspedometra acuticirra ... 280
Crateromys schadenbergi ... 326
Crawford, David L., A contribution toward a monograph of the homopterous insects of the family Delphacidæ of North and South America ... 557
Crawford, J. C., Descriptions of new Hymenoptera, No. 8 ... 343
Cretaceous, New Jersey, a new sponge from the ... 155
Crinoids, fossil, notes on a slab of ... 57
Crocidura beatus ... 303
edwardsiana ... 303, 334
grandis ... 304
grayi ... 303
halconus ... 303
mindorus ... 303
Crunomys fallax ... 337
melanius ... 337
Cryptanuridimorpha elegans ... 369
Cryptophion strandi ... 370
Cryptopterigimorpha tubulifera ... 371
Cryptothrips californicus ... 38
rectangularis ... 45
Ctenothrips bridwelli ... 42
Culcita novæ-guineæ ... 211
schmideliana ... 211
Cumberland, Maryland, Pleistocene cave deposit near, report on ... 93
Cyanopterus diversus ... 361
Cynocephalus volans ... 304
Cynomolgus mindanensis ... 329
mindanensis ... 329
Cynopterus brachyotis brachyotis ... 334
luzoniensis ... 334
Dagnaea deucalion ... 522
Dall, William Healey, On a brackish water Pliocene fauna of the southern coastal plain ... 225

Page.

Delphacidæ of North and South America, a contribution toward a monograph of the homopterous insects of the family ... 557
Delphacinus obesus ... 582
vittatus ... 580
zonatus ... 581
Delphax ... 577
clavicornis ... 603
conspersinervis ... 577
crassicornis ... 577, 603
dorsalis ... 588
fuscinervis ... 578
hemiptera ... 633
lineola ... 609
luteivitta ... 633
maidis ... 595
notulus ... 609
obscurella ... 629
ornata ... 586
pellucida ... 615
producta ... 633
saccharivora ... 589
seminegra ... 631
senilis ... 633
stejnegeri ... 630
tricarinata ... 572
truncatipennis ... 609
unicolor ... 633
unipuncta ... 588
vittata ... 592
Dermacentor venustus ... 83
Derostenus fullowayi ... 348
punctiventris ... 349
Diaglyptidea roepkei ... 372
Dibrachys meteori ... 436
Dichoneura simoni ... 570
Dicranotropis ... 593
aphidioides ... 597
ater ... 600
bakeri ... 598
abdominalis ... 598, 630
basalis ... 600
beckeri ... 594
binotatus ... 601
brunneus ... 599
cubanus ... 595
delicatus ... 596, 598
divaricatus ... 600
dorsalis ... 599
foveatus ... 600
frontalis ... 597
guttatus ... 600
maidis ... 595
marginatus ... 596, 601
pallipes ... 599
(?) piceus ... 601
variegatus ... 600
Diglena biraphis ... 395
caudata ... 395
clastopis ... 397
Digonocryptus bidens ... 373
Dissogenes styracis ... 212
Distome, viviparous, notes on a ... 551
Distoma felineum ... 82

Page.

Distomum pittacium ... 554
Ditropis albosignata ... 578
Diurella porcellus ... 400
Doryptena tanegashimæ ... 72
Dragonflies, notes on the Odonata, or, of Bumping Lake, Washington ... 111
Dysopes alecto ... 88
amplexicaudus ... 91
olivaceofuscus ... 91
velox ... 91
Echinothrips americanus ... 14
Elphosoma, new parasitic hymenoptera of the genus ... 61
forte ... 63
lacteum ... 62, 63
montaguense ... 63
pyralidis ... 61
schwarzi ... 62
septentrionale ... 61
Elasmus apanteli ... 438
Elephac columbi ... 189
imperator ... 189
primigenius ... 190
Elis atriventris ... 431
Elocussa fuscata ... 547
Emballonura alecto ... 306
discolor ... 306, 307
monticola ... 306, 307
Embolophora monoceros ... 604
Encentrum aper ... 394
myriophylli ... 395
ricciæ ... 396
Encruphion ... 506
phalereus ... 506
porrima ... 506
Ensipia trilineata ... 548
Eonycteris robusta ... 305
Epibidis ... 569
brunnea ... 570
godmani ... 570
Epimys albigularis ... 316
basilanus ... 322
benguetensis ... 323
calcis ... 320
coloratus ... 317, 318
datæ ... 323, 324
everetti ... 315
gala ... 316
kelleri ... 319
leucophæatus ... 320
luteiventris ... 337
luzonicus ... 324
magnirostris ... 317
mayonicus ... 319
mindanensis ... 318
mindorensis ... 319
neglectus ... 317
negrinus ... 320
norvegicus ... 317
ornatulus ... 322
pantarensis ... 322
querceti ... 319, 320
rattus ... 318
robiginosus ... 318
tagulayensis ... 316
todayensis ... 321, 322

Page.

Epimys tyrannus ... 317, 337
vigoratus ... 321
vulcani ... 321
vulcani ... 321
zamboangæ ... 319
Equus caballus ... 333
Erebostrota albipicta ... 524
Eriocheir japonicus ... 354
leptognathus ... 353
rectus ... 354
sinensis ... 354
Eriopelmidea erythrogastra ... 374
Eriopus orses ... 486
Eriopyga dromas ... 485
Eristernaulax ... 361
leucotænia ... 362
Erocha albifera ... 496
dipeas ... 496
Eromidia ... 520
clotho ... 521
Eucanyra ... 568
stigmata ... 569
Euchlorops similis ... 140
vittata ... 139
Euides fucata ... 632
fusco-vittata ... 632
Eumicrosoma ... 442
benefica ... 442
Eupelminus meteori ... 437
Euphoriana ... 433
uniformis ... 433
(Euphoridea) ancylocentrus claripennis ... 363
Euphoridea claripennis ... 362
Eurysa nervata ... 584
Eurythrips ampliventris ... 45
hindsi ... 27
Eustrotia olenos ... 504
Euthrips floridensis ... 5
fuscus ... 1, 11, 43
gossypii ... 9
hawaiiensis ... 3
helianthi ... 10
nervosus ... 43
occidentalis ... 43
phalerata ... 1
pyri ... 1
runneri ... 7
tritici ... 1, 9, 10, 11, 43
var. bispinosus ... 10
ulicis californicus ... 1
Fauna, Pliocene, of the southern coastal plain ... 225
Felis minuta ... 336
Ferdina glyptodisca ... 213
offreti ... 213
Fisher, Walter K., New starfishes from the Philippine Islands, Celebes, and the Moluccas ... 201
Fishes from Japan, with description of a new species ... 65
Fishes, new American Pycnodont ... 445
Fishes of the genus Osmerus of the California coast ... 291
Fisk, Mary, A review of the fishes of the genus Osmerus of the California coast ... 291
Flies, the genera of, in the subfamily Botanobiinæ ... 239

Page.

Focilla gradivus ... 546
? masgaba ... 547
Folsom, Justus W., North American spring-tails of the subfamily Tomocerinæ ... 451
Fromia armata ... 214
balanæ ... 215
eusticha ... 213
hemiopla ... 214
milleporella ... 213, 214
Fulgora pellucida ... 615
Gad-flies (Tabanidæ) of the genus Stibasoma ... 407
Gahan, A. B., New hymenopters from North America ... 431
Gastrothrips ... 35
ruficauda ... 35, 45
Gidley, James Williams, Preliminary report on a recently discovered Pleistocene cave deposit near Cumberland, Maryland ... 93
Some new American Pycnodont fishes ... 445
Glischropus tylopus ... 310
Glossophaga, bats of the genus, revision of the ... 413
amplexicaudata ... 418
elongata ... 423
longirostris ... 413, 417, 421, 422, 424
longirostris ... 422
rostrata ... 423
mutica ... 420
rostrata ... 423
soricina ... 413, 414, 415, 421, 422
antillarum ... 414, 420
leachii ... 414, 419
microtis ... 414, 419
mutica ... 414, 420
soricina ... 414, 418
valens ... 414, 420
truei ... 418
villosa ... 418
Glympis parvipuncta ... 532
Gnathypops evermanni ... 66
hopkinsi ... 66
iyonis ... 66
Gonatocerus anomocerus ... 350
eximius ... 441
Goniolcium granulosum ... 576
Gonodes echion ... 490
Gonuris leonnatus ... 547
Grapsidæ and Ocypodidæ, new species of crabs of the families ... 353
Halityle regularis ... 211
Hall, Maurice C., A new nematode, Rictularia splendida, from the coyote, with notes on other coyote parasites ... 73
Harpylonycteris whiteheadi ... 335
Harring, Harry K., A list of the Rotatoria of Washington and vicinity, with descriptions of a new genus and ten new species ... 387
Hay, Oliver P., Camels of the fossil genus Camelops ... 267
The extinct bisons of North America; with description of one new species, Bison regius ... 161

Page.

Heliocentia basipuncta ... 504
Heliothrips fasciapennis ... 44
fasciatus ... 43
hæmorrhoidalis ... 44
Hemeromyia nitida ... 146
obscura ... 145
Herminodes albistriga ... 507
hebes ... 508
inculta ... 509
longistriata ... 509
parca ... 508
pilosa ... 509
regia ... 508
umbrata ... 507
Heterodonax alexandra ... 228
bimaculata ... 228
Heterothrips arisæmæ ... 44
Hibakari snake, variation exhibited by mainland and island specimens of the ... 157
Himerometra, revision of the crinoid genus ... 279
bartschi ... 281, 282, 284, 288
crassipinna ... 281
magnipinna ... 281, 282, 284, 285, 287
martensi ... 281, 285
persica ... 281, 284, 289
robustipinna ... 281, 285
sol ... 281, 284, 285, 288
Hippelates apicata ... 248
bicolor ... 245
calcaratus ... 245
capax ... 261
convexus ... 249
dorsalis ... 259
dorsatus ... 255
equalis ... 256
flavidula ... 256
flavipes ... 245
var. pusio ... 246
genalis ... 264
impressus ... 258
lituratus ... 264
longulus ... 264
microcentrus ... 252
nigricoxa ... 250
nitidifrons ... 243
nobilis ... 254
nudifrons ... 242
pallidus ... 260
partitus ... 241
peruanus ... 244
plebejus ... 253
proboscideus ... 254
pusio ... 245
scutellaris ... 246
(Siphomyia) proboscideus ... 254
splendens ... 245
stramineus ... 259
subæqualis ... 257
subvittata ... 251
tener ... 255
texana ... 261
truncata ... 247
Hipposideros antricola ... 309
bicolor ... 335
coronatus ... 335
diadema griseus ... 309
obscurus ... 335
pygmæus ... 309

Page.

Hollister, N., Review of the Philippine land mammals in the United States National Museum ..... 299
Holomeniscus sulcatus ..... 267, 276
Homocrinidæ ..... 479
Homocrinus Hall, notes on the fossil crinoid genus ..... 473
Homocrinus cylindricus ..... 473, 474
parvus ..... 473, 474, 475, 476, 478, 479
scoparius ..... 473, 481, 482
Hoplichthys gilberti ..... 67, 68, 69
langsdorfii ..... 67, 69
regani ..... 67, 69
Hoplocrinus dipentas ..... 474
Horistothrips ..... 35
australiæ ..... 36
Hyelaphus calamianensis ..... 339
Hylobates funereus ..... 338
Hymenoptera, descriptions of new, No. 8 .. 343
new, from North America .... 431
new parasitic, of the genus Eiphosoma ..... 61
Ichneumon-flies, descriptions of twenty-three new genera and thirty-one new species of .. 359
Ichneutidea secunda ..... 363
Idiosemus ..... 633
xiphias ..... 633
Idiosystatus ..... 632
actiusculus ..... 633
Idolothrips coniferarum ..... 46
flavipes ..... 46
Insects, homopterous of the family Delphacidæ of North and South America, a contribution toward a monograph of ..... 557
Isapis obsoleta ..... 233
Japan, fishes from, with description of a new species ..... 65
Jassidæus ..... 582
carinatus ..... 583
inconspicuus ..... 583
lugubris ..... 583
Jeralia singula ..... 564
Joppocryptus egregius ..... 375
Jordan, David Starr, and William Francis Thompson, Notes on a collection of fishes from the Island of Shikoku in Japan, with description of a new species, Gnathypops iyonis ..... 65
Kelisia axialis ..... 613
crocea ..... 591
parvula ..... 631
salina ..... 631
Kennedy, Clarence Hamilton, Notes on the Odonata, or dragonflies of Bumping Lake, Washington ..... 111
Kerivoula hardwickii ..... 336
jagorii ..... 336
pellucida ..... 336
whiteheadi ..... 336
Kirk, Edwin, Notes on the fossil crinoid genus Homocrinus Hall ..... 473
Knab, Frederick, Gad-flies (Tabanidæ) of the genus Stibasoma ..... 407
New moth-flies (Psychodidæ) bred from Bromeliaceæ and other plants .. 103

Page.

Kormus ..... 586
artemisiæ ..... 586
californicus ..... 586
Laccocera ..... 579
bicornata ..... 582
obesa ..... 582
vittipennis ..... 580
zonata ..... 581
flava ..... 581
Lamprocryptidea magnifica ..... 376
Larus argentatus ..... 551
Lasiocrinus scoparius ..... 482
tenuis ..... 482
Lecane stichæa ..... 397
Leiaster analogus ..... 215, 216
callipeplus ..... 216
coriaceus ..... 215
glaber ..... 216
leachii ..... 216
speciosus ..... 216
Leiognathus rivulatus ..... 65
Lepticus ..... 567
oculatus ..... 568
Leptinaria bahamensis ..... 109
Leptoctenista crinipes ..... 513
funebris ..... 511
grandimacula ..... 510
hadenoides ..... 510
lignea ..... 512
malonia ..... 512
oreas ..... 511
pretiosa ..... 512
Leptothrips aspersus ..... 38, 46
russelli ..... 39
Liburnia andromeda ..... 628
apicmaculata ..... 630
arvensis ..... 615
atrior ..... 630
basifuscata ..... 630
basivitta ..... 626
bergi ..... 631
campestris ..... 617
circumcincta ..... 629
cognata ..... 631
consimilis ..... 616
culta ..... 628
delecta ..... 615
dolera ..... 630
dorsalis ..... 588
(?) dorsilinea ..... 631
foveata ..... 629
furcata ..... 615
fusco-irrorata ..... 632
gillettei ..... 616
humulis ..... 629
kilmani ..... 629
laminalis ..... 624
lateralis ..... 629
lineatipes ..... 629
lutulenta ..... 617
marginicornis ..... 630
nimbata ..... 632
notula ..... 609
obscurella ..... 629
occlusa ..... 619
osborni ..... 629
paludata ..... 630

Page.

Liburnia pellucida ..... 615
puella ..... 625
sagata ..... 630
slossoni ..... 631
teapæ ..... 618
terminalis ..... 623
Liburniella ..... 585
ornata ..... 586
Limnomya licinus ..... 325
mearnsi ..... 324
sibuanus ..... 324, 325
Limothrips cerealium ..... 44
Linton, Edwin, Notes on a viviparous distome ..... 551
Liothrips citricornis ..... 46
meconnelli ..... 38
ocellatus ..... 46
Lithacodia folium ..... 503
Lobioptera arcuata ..... 132
lacteipennis ..... 133
Lophaster abbreviatus ..... 220
antarcticus ..... 220
furcifer ..... 220
furcilliger ..... 219
gaini ..... 220
stellans ..... 220
suluensis ..... 219, 220
Lucilia africana ..... 203
sthenosoma ..... 203
avicularia ..... 203
clathrata ..... 202
denudata ..... 204
foliolata ..... 202
forficifer ..... 202
gymnochora ..... 204
integra ..... 203
limbata ..... 202
orientalis ..... 203
penangensis ..... 202
prionota ..... 202
quinaria ..... 202
sarsi ..... 203
Macroglossus lagochilus ..... 306
lagochilus ..... 306
Macroneura rubobalteata ..... 363
Macroneuroides erythropleura ..... 364
Macrotoma flavescens ..... 457
minor ..... 466
tridentifera ..... 466
vulgaris ..... 463
Malloch, J. R., A synopsis of the genera of Agromyzidæ, with descriptions of new genera and species ..... 127
The genera of flies in the subfamily Botanobiinæ with hind tibial spur ..... 239
Mammals, land, from the Philippines, in the United States National Museum ..... 299
Manis javanica ..... 338
Marginaster capreensis ..... 216
fimbriatus ..... 216
paucispinus ..... 216
Megaderma spasma spasma ..... 308
Megalomeryx niobrarensis ..... 267, 268

Page.

Megamelanus bicolor ..... 592
elongatus ..... 593
frontalis ..... 593
rufittatus ..... 593
spartini ..... 593
Megamelus ..... 602
albicollis ..... 613
albidens ..... 622
havanensis ..... 622
albolineosa ..... 602, 629
albolineosus ..... 610
andromedus ..... 628
analis ..... 620
angulatus ..... 629
apicmaculatus ..... 630
approximatus ..... 622
atrior ..... 630
aurantii ..... 628
axialis ..... 613, 631
basifuscatus ..... 630
basivitta ..... 626
bergi ..... 631
bifurcatus ..... 612
campestris ..... 617
cayamensis ..... 614
circumcinctus ..... 629
consimilis ..... 616
constrictus ..... 610, 611
minutus ..... 610
cultus ..... 628
davisi ..... 630
dolerus ..... 630
dorsilinia ..... 631
erecta ..... 623
erectus ..... 624
niger ..... 624
nigripennis ..... 625
foveatus ..... 629
fucatus ..... 632
fusco-irroratus ..... 632
fusco-terminata ..... 632
fusco-vittata ..... 632
gillettei ..... 616
humulis ..... 629
indistinctus ..... 619
kilmani ..... 629
kormusi ..... 614
laminalis ..... 624
lateralis ..... 629
lineatipes ..... 629, 630
lutulentus ..... 617
magna ..... 614
magnifrons ..... 614
magnistylus ..... 627
magnus ..... 627
marginatus ..... 609, 629
marginicornis ..... 630
metzaria ..... 611
nigricula ..... 632
nigridorsum ..... 620
nigrifrons ..... 631
nigrigaster ..... 621
notulus ..... 602, 604, 609
flavus ..... 609
obscurellus ..... 629

Page.

Megamelus occlusus ..... 619
osborni ..... 629
pacificus ..... 626
paludatus ..... 630
parvulus ..... 631
patruelis ..... 632
pellucida ..... 616, 625
pellucidus ..... 615
piceus ..... 630
puella ..... 622
puellis ..... 625, 626
mexicanus ..... 626
rectangularis ..... 612
reductus ..... 629
rotundatus ..... 618
sagata ..... 622
sagatus ..... 630
salina ..... 631
scutellaris ..... 631
seminegra ..... 631
setigerus ..... 631
slossoni ..... 631
stejnegeri ..... 630
teapæ ..... 618, 622
albinotatus ..... 619
terminalis ..... 623
univittata ..... 632
vanduzeei ..... 622
Melanaxis basilanensis ..... 332
breviceps ..... 339
elegans ..... 340
masbatensis ..... 340
Meoneura ..... 142
lacteipennis ..... 144
obscurella ..... 143
vagans ..... 143
Metalectra agriodos ..... 539
alcis ..... 538
astylos ..... 539
ceyx ..... 538
furva ..... 540
variata ..... 540
Metastrongylidæ ..... 74
Metastrongylinæ ..... 74
Meteorus mamestræ ..... 364
vulgaris ..... 364, 365
Microdon discoides ..... 445
dumbelli ..... 449
elegans ..... 445
texanus ..... 445
Micromonodes excellens ..... 494
leucosticta ..... 494
Microthrips ..... 19
piercei ..... 19
Mlichia aethiops ..... 133
arcuata ..... 132
indecora ..... 134
leucogastra ..... 135
longiseta ..... 135
robertsoni ..... 135
Mlichiella arcuata ..... 132
bisignata ..... 132
cinerea ..... 132
lacteipennis ..... 133
lucidula ..... 132

Page.

Miller, Gerrit S., jr., Notes on the bats of the genus Molossus ..... 85
Revision of the bats of the genus Glossophaga 413
Miniopterus australis ..... 311, 335
eschscholtzii ..... 311
paululus ..... 311
pusillus ..... 311, 336
schreibersii ..... 311
tibialis ..... 336
tristis ..... 311
Missouri, Ste. Genevieve County, archeological investigations in ..... 641
Modiokaria lateralis ..... 229
Mollusks, new, from the Bahama Islands ..... 107
Molossus, bats of the genus, notes on ..... 85
acuticaudatus ..... 91
aztecus ..... 91
bondæ ..... 89
burnesi ..... 91
castaneus ..... 88
coibensis ..... 92
crassicaudatus ..... 91
currentium ..... 89
debilis ..... 90
fluminensis ..... 88
fortis ..... 89, 90
fuliginosus ..... 90
fusciventer ..... 86, 90
longicaudatus ..... 90
major ..... 87, 90
myosurus ..... 88
nigricans ..... 88
obscurus ..... 91
currentium ..... 89
pretiosus ..... 88, 89
pygmæus ..... 92
rufus ..... 88
sinaloæ ..... 89
tropidorhynchus ..... 92
ursinus ..... 88
verrilli ..... 90
Moluccas, new starfishes from the ..... 201
Monodes isse ..... 492
ixion ..... 491
phlegyas ..... 491
Monogonocryptus diversicolor ..... 377
Monophyllus leachii ..... 419
Monostyla acus ..... 398
crenata ..... 399
sylvatica ..... 399
Morgan, A. C., New genera and species of Thysanoptera, with notes on distribution and food plants ..... 1
Moth-flies, new, bred from Bromeliaceæ and other plants ..... 103
Moths, Noctuid, new species of, from tropical America ..... 485
Mulelocha albibasalis ..... 527
erebea ..... 528
Mulinia congesta ..... 228
lateralis ..... 228
sapotilla ..... 228
Multiceps multiceps ..... 82
serialis ..... 83

| | Page. |
|---|---|
| Mungos palawanus | 336 |
| parvus | 336 |
| Murina cyclotis | 336 |
| Mus castaneus | 337 |
| commissarius | 325 |
| luzonicus | 324 |
| musculus | 325 |
| vulcani | 321 |
| apicis | 321 |
| Mydaus marchei | 312 |
| schadenbergii | 336 |
| Myotis formosus | 309 |
| macrotarsus | 310 |
| rufopictus | 309 |
| Mytilopsis leucopheatus | 229 |
| Nanamonodes triilineata | 493 |
| Nannosciurus concinnus | 313 |
| samaricus | 336 |
| surrutilus | 313 |
| Natrix sauteri | 160 |
| vibakari | 157 |
| Nematode, new, from the coyote | 73 |
| Neolita epicaste | 494 |
| Neomymar | 351 |
| vierecki | 351 |
| Neoptodes | 515 |
| caicus | 515 |
| Neorileyn ashmeadi | 345 |
| flavipes | 346 |
| Neostrotia albescens | 503 |
| Nepanthia belcheri | 218 |
| brachiata | 217, 219 |
| joubini | 218 |
| maculata | 219 |
| pedicellaris | 217 |
| platydisca | 218 |
| Neritina pupa | 236 |
| sparsilineata | 236 |
| New Jersey, a new sponge from the Cretaceous of | 155 |
| Nonnus | 377 |
| North America, extinct bisons of; with description of one new species, Bison regius | 161 |
| Notommata pachyura | 392 |
| Notops lofuana | 400 |
| Nyctalus stenopterus | 310 |
| Nycticebus menangensis | 328, 338 |
| philippinus | 328 |
| Ocypodidæ and Grapsidæ, new species of crabs of the families | 353 |
| Odonata, notes on the, of Bumping Lake, Washington | 111 |
| Odontonycteris meyeri | 306 |
| Oenoptera leda | 498 |
| rhea | 498 |
| Onigocia macrolepis | 70 |
| spinosa | 70 |
| Ooencyrtus anasæ | 347 |
| chrysopæ | 347 |
| trinidadensis | 347 |
| Opalinopsis nucleolobata | 82 |
| Ophidiaster pusillus | 215 |
| trychnus | 215 |
| tuberifer | 215 |
| Ophthalmomyia cinerea | 132 |
| Oroscopa belus | 524 |
| Orsa oculata | 523 |
| Orthogramma modesta | 517 |
| Oruza doto | 497 |
| Oscinis ovalis | 259 |
| pallipes | 245 |
| Osmerus, fishes of the genus, of the California coast | 291 |
| attenuatus | 291, 292, 293, 294, 296 |
| starksi | 291, 292, 293, 294, 295 |
| thaleichthys | 291, 293, 294, 295 |
| Ostha? cybele | 516 |
| oenopion | 515 |
| ofella | 516 |
| Ostrea elongata | 230 |
| virginica | 230 |
| Ozarba anguililinea | 502 |
| onytes | 502 |
| Pachycheilus anagrammatus | 232 |
| cancelloides | 232 |
| suavis | 232 |
| Pachysoma brachyotis | 334 |
| luzoniense | 334 |
| Pachyura luzoniensis | 302, 303 |
| occultidens | 303 |
| Paludestrina aldrichi | 234, 235 |
| cingulata | 235 |
| curva | 235 |
| milium | 235 |
| plana | 234 |
| satillensis | 234 |
| turricula | 235 |
| Pangrapta? dilucida | 518 |
| minuta | 519 |
| subgeminata | 518, 519 |
| Paradoxurus minax | 313 |
| philippinensis | 313 |
| torvus | 336 |
| Paraleucopis corvina | 149 |
| Paramadiza halteralis | 136 |
| Paramyia nigra | 141 |
| Parangitia atys | 499 |
| chlorosticta | 499 |
| japyx | 500 |
| Parorchis acanthus | 554 |
| avitus | 551, 554 |
| Pectinaster hylacanthus | 204 |
| mimicus | 204 |
| Pentaceropsis obtusata | 209 |
| tyloderma | 209 |
| Pentagramma | 565 |
| bivittata | 566 |
| minora | 567 |
| vittatifrons | 567 |
| Peregrinus maidis | 595 |
| Perigea drusilla | 492 |
| Perilampidea | 346 |
| syrphi | 346 |
| Pezomachus (Pezomachus) apantelicida | 378 |
| Phænolabrorychus anisitsi | 379 |
| Phanerotoma albiscapa | 365 |
| humeralis | 365 |
| straminea | 365 |
| Phanerotomella albiscapa | 365 |
| Philippine Islands, Celebes, and the Moluccas, new starfishes from | 201 |

| | Page. |
|---|---|
| Philippines, review of the land mammals from the, in the United States National Museum | 299 |
| Phlœomys cumingi | 337 |
| pallidus | 315 |
| Phlœthrips pergandei | 46 |
| raptor | 46 |
| uzeli | 46 |
| Phobolosia admirabilis | 497 |
| atrifrons | 496 |
| Pholeomyia indecora | 134 |
| leucogastra | 135 |
| leucozona | 135 |
| pseudodecora | 135 |
| robertsoni | 135 |
| Photocryptus photomorphus | 380 |
| Photoptera erythronota | 381 |
| Phuphena costata | 487 |
| subvenata | 486 |
| Phyllodinus | 583 |
| flabellatus | 584 |
| fuscus | 585 |
| koebelei | 585 |
| nervatus | 584 |
| nitens | 585 |
| Phyllomyza approximata | 138 |
| hirtipalpis | 137 |
| magnipalpis | 138 |
| nitens | 141 |
| securicornis | 136, 142 |
| Phyllophora nigra | 418 |
| Phytomyza lacteipennis | 152 |
| major | 150 |
| nitidula | 151 |
| Pipistrellus imbricatus | 310 |
| irretitus | 335 |
| tenuis | 335 |
| Pissonotus aphidioides | 597 |
| ater | 600 |
| basalis | 596, 597 |
| binotatus | 601 |
| brunneus | 599 |
| delicatus | 596, 597 |
| divaricatus | 600 |
| dorsalis | 599 |
| foveatus | 600 |
| guttatus | 600 |
| marginatus | 596 |
| pallipes | 599 |
| piceus | 601 |
| variegatus | 600 |
| Pithecus cagayanus | 330 |
| mindanensis | 328, 329 |
| mindanensis | 329 |
| mindorus | 328 |
| suluensis | 330 |
| syrichta | 328 |
| Planorbis antiquitus | 237 |
| ophis | 236 |
| Pleistocene cave deposit near Cumberland, Maryland, report on | 93 |
| Pleurobema clava | 230 |
| Podogymnura truei | 302 |
| Pogonognathus plumbeus | 457 |
| Polyænides pretiosa | 382 |
| Polycyrtides gracilis | 383 |
| Polycyrtimorpha amœnus | 383 |
| Polycrytus | 384 |
| Polygnamptia | 541 |
| chloristicta | 541 |
| Potamides cancelloides | 232 |
| matsoni | 231 |
| var. gracilior | 231 |
| saltillensis | 232 |
| Poteriocrinus alternatus | 474 |
| gracilis | 474 |
| Powers, Sidney, and Hervey W. Shimer, A new sponge from the New Jersey Cretaceous | 155 |
| Prohippelates pallidus | 260 |
| Prokelisia setigera | 631 |
| Proterosydne | 570 |
| pictifrons | 571 |
| Psalidotus primus | 142, 144 |
| Pseudaliinæ | 74 |
| Pseudocraspedia ormenis | 498 |
| Pseudohippelates capax | 261 |
| gracilis | 262 |
| Pseudothrips inequalis | 44 |
| Psychodidæ, new moth-flies bred from Bromeliaceæ and other plants | 103 |
| Psychoda amplipenna | 103 |
| fumata | 104 |
| incompleta | 105 |
| tricolor | 105 |
| Ptenochirus jagorii | 334 |
| Pterodina bidentata | 403 |
| calcaris | 404 |
| emarginata | 403 |
| parva | 403 |
| Pterogoblus daimio | 70, 71 |
| elapoides | 70, 71, 72 |
| Pterois lunulata | 67 |
| Pteromalus eurymi | 435 |
| puparum | 435 |
| Pteropoides herzogi | 363 |
| Pteropus balutus | 305 |
| cagayanus | 305 |
| hypomelanus cagayanus | 305 |
| hypomelanus | 305 |
| leucopterus | 335 |
| mearnsi | 305 |
| mimus | 335 |
| pumilus | 305 |
| speciosus | 305 |
| vampyrus lanensis | 305 |
| Ptychognathus johannæ | 354 |
| riedelii pilosa | 355 |
| Pundaluoya simplicia | 595 |
| Pycnodont fishes, some new American specimens of | 445 |
| Pyrgulopsis? satilla | 236 |
| Rangia cuneata var. solida | 228 |
| Rathbun, Mary J., Descriptions of new species of crabs of the families Grapsidæ and Ocypodidæ | 353 |
| Rhicnoessa albula | 147 |
| texana | 148 |
| Rhinolophus anderseni | 335 |
| arcuatus arcuatus | 309 |
| exiguus | 309 |

Page.

Rhinolophus hirsutus ..... 308
inops ..... 309
philippinensis ..... 335
rufus ..... 335
subrufus ..... 309
virgo ..... 308
Rhipidaster polyctenius ..... 201
vannipes ..... 222, 223
(Xenorias) polyctenius ..... 222
Rhynchomilichia pseudodecora ..... 135
Rhynchomys soricoides ..... 337
Rictularia ..... 75
affinis ..... 77, 82
cahirensis ..... 77, 82
cristata ..... 75, 77
splendida ..... 77, 82
Rictulariinæ ..... 75
Rotatoria of Washington and vicinity, descriptions of a new genus and ten new species of the ..... 387
Rousettus amplexicaudatus ..... 305
Rousseletia corniculata ..... 393
Rusa alfredi ..... 332, 339
barandanus ..... 331
basilanensis ..... 332
calamianensis ..... 339
culionensis ..... 339
francianus ..... 331
nigellus ..... 332
nigricans ..... 332, 333, 339
philippinus ..... 331
steerii ..... 339
Sanys berbyx ..... 548
pyrene ..... 548
Sarcoptes scabiei lupi ..... 83
Schaus, William, New species of Noctuid moths from tropical America ..... 485
Sciuropterus crinitus ..... 314, 337
nigripes ..... 315
Sciurus albicauda ..... 337
juvencus ..... 314
mindanensis ..... 314
mollendorffi ..... 337
philippinensis ..... 314, 337
samarensis ..... 314
steerii ..... 337
Scotophilus temminckii ..... 310
Sericothrips cingulatus ..... 45
variabilis ..... 45
Sesarma (Sesarma) tiomanense ..... 355
Shikoku, Island of, Japan, fishes from, with description of a new species ..... 65
Shimer, Hervey W., and Sidney Powers, A new sponge from the New Jersey Cretaceous. 155
Signiphora girault ..... 348
Sikelaphus soloensis ..... 340
Sinosia ..... 514
inornata ..... 514
Snake, variation of the Hibakari ..... 157
Solaster borealis ..... 221
japonicus ..... 222
papposus ..... 222
paxillatus ..... 221
penicillatus ..... 222
regularis ..... 221
scotophilus ..... 222

Page.

Solaster subarcuatus ..... 221
torulatus ..... 221
tropicus ..... 221
Somatochlora semicircularis ..... 112, 113, 116
Sphyrias lofuana ..... 400
Spodoptera evanida ..... 490
Sponge, a new, from the New Jersey Cretaceous ..... 155
Spring-tails of the subfamily Tomocerinæ from North America ..... 451
Starfishes, new, from the Philippine Islands, Celebes, and the Moluccas ..... 201
Stenocranus ..... 587
angustus ..... 589
croceus ..... 591
dorsalis ..... 588
felti ..... 591
lautus ..... 588, 591
maculipes ..... 591
minutus ..... 587
palaetus ..... 591
rostrifrons ..... 590
saccharivorus ..... 589
similis ..... 590
vittatus ..... 592
Stibasoma, gad-flies of the genus ..... 407
bicolor ..... 411
dives ..... 411
dyridophorum ..... 410
festivus ..... 409
flavistigma ..... 409
fulvohirtum ..... 411
fulvohirtus ..... 407, 408, 410, 411, 412
hemiptera ..... 407
mallophoroides ..... 409
pachycephalum ..... 411
theotænia ..... 409
tristis ..... 411
willistonii ..... 408, 410
Stiroma inconspicua ..... 583
Stobæra ..... 571
affinis ..... 572
bifasciata ..... 572
concinna ..... 572
granulosum ..... 576
minuta ..... 572
nigripennis ..... 576
pallida ..... 575
quadripustulata ..... 576
testaceum ..... 576
tricarinata ..... 572
Strongylidæ ..... 74
Strongyloidea ..... 73
Sus ahoenobarbus ..... 338
barbatus balabacensis ..... 338
palavensis ..... 338
calamianensis ..... 331
cebifrons ..... 338
domesticus ..... 331
inconstans ..... 331
minutus ..... 339
philippensis ..... 331
Sympetrum corruptum ..... 112, 118
Sympiesis agromyzæ ..... 440
Syrnola thelma ..... 234
Tabanidæ (gad-flies) of the genus Stibasoma ..... 407

Page.

Tabanus atratus 412
chionostigma 411
compactus 411
dives 411
fenestratus 408
festivus 409
fulvohirtus 411
mallophorides 409
theotaenia 409
tristis 411
Tænia hydatigena 83
pisiformis 82
Taphonycteris capito 308
pluto 307
Taphozous philippinensis 307
pluto 307, 308
Tarachaster tenuis 217
Tarsius carbonarius 328
fraterculus 328, 338
philippensis 338
Tarsomys apoensis 326
Telenomus albitarsis 345
meridionalis 345
tabanocida 344
Testudinella bidentata 404
parva 403, 404
Tethina coronata 147
parcula 147
rostrata 147
Tetrastichus brucophagi 439
(Tetrastichodes) detrimentosus. 439
Thecurus pumilus 338
Thermesia glycera 519
ocresia 519
Thompson, J. C., The variation exhibited by mainland and island specimens of the Hibakari snake, Natrix vibakari (Boie) 157
Thompson, William Francis, and David Starr Jordan, Notes on a collection of fishes from the Island of Shikoku in Japan, with description of a new species, Gnathypops iyonis 65
Thoopterus nigrescens 334
Thrips abdominalis 44
helianthi 23
madronii 44
perplexus 44
quinciensis 21
spinosus 25
tabaci 44
Thymarimorpha platygastra 384
Thysanoptera, new genera and species of 1
Tomocerinæ, spring-tails of the subfamily 451
Tomocerus americanus 458, 460
arcticus 458, 460, 461, 462
bidentatus 451, 463
flavescens 451, 457, 458
var. americanus 451, 460
arcticus 451, 461
separatus 451, 460
minor 451, 466
niger 457
var. arcticus 462
plumbeus 460
norvegicus 466

Page.

Tomocerus plumbeus 454, 457, 460, 463, 465
tridentiferus 466
vulgaris 451, 463, 465
Trachagathis taeniogaster 356
Tragulus nigricans 339
Trichostrongylinæ 74
Trichothrips amplipennis 33
flavicauda 28
fuscus 30
hoodi 31
Trichotria brevidactyla 400
pocillum 400
similis 400
tetractis 400
Tringa interpres 554
Triommatodes aberrans 526
agenor 525
belus 527
canidia 525
pygmalion 526
pylades 526
Trissolcus euschisti 346
trinidadensis 344
urichi 343
Tritomurus californicus 451, 469
Trogoblemma lucens 496
sericata 496
Tryphomys adustus 325
Tupaia cuyonis 304, 334
everetti 304
mollendorffi 304, 334
palawanensis 304, 334
Turritella satilla 233
Tylonycteris pachypus 310
Tympanomerus deschampsi 356
stapletoni 356, 357
Uncinaria trigonocephala 83
Unio (Lampsilis?) sandrius 229
obesus blandingianus 230
(Pleurobema?) alixus 230
(Unio) musius 230
Urogale cylindrura 304
everetti 304
Ursus americanus 97
(Euarctos) vitabilis 96
priscus 163
Ussa ambrosianus 339
atheneensis 339
barandanus 331
baryceros 339
brachyceros 339
chrysotrichos 339
cinereus 339
corteanus 339
crassicornis 339
dailliardianus 340
elorzanus 340
francianus 331
garcianus 340
gonzalinus 340
gorrichanus 340
guevaranus 340
guidoteanus 340
hipolitianus 340
longicuspis 340

| | Page. |
|---|---|
| Usea macarianus | 340 |
| maraisianus | 340 |
| marzanigus | 340 |
| michaelinus | 340 |
| microdontus | 340 |
| nublanus | 340 |
| ramosianus | 340 |
| rosarianus | 340 |
| roxasianus | 340 |
| rubiginosus | 340 |
| spatharius | 340 |
| telesforianus | 340 |
| tuasoninus | 340 |
| verzosanus | 340 |
| vidalinus | 340 |
| villemerianus | 340 |
| Varicella gracillima | 109 |
| bahamaensis | 109 |
| Vespertilio eschscholtzii | 311 |
| molossus | 86, 87 |
| major | 86, 90 |
| minor | 86, 90 |
| (Nycticeus) alecto | 306 |
| pachypus | 310 |
| Vespertilio rufopictus | 309 |
| rufo-pictus | 309 |
| sericinus | 413, 418 |
| Vesperugo (Glischropus) tylopus | 310 |
| stenopterus | 310 |
| Viereck, Henry L., Descriptions of twenty-three new genera and thirty-one new species of Ichneumonflies | 359 |
| Viverra tangalunga | 312 |
| Washington, a list of the Rotatoria of, and vicinity, with descriptions of a new genus and ten new species | 387 |
| Washington, Bumping Lake, notes on the Odonata or dragonflies of | 111 |
| Xenomymar | 349 |
| urichi | 349 |
| Ypsia exaggerata | 505 |
| glycon | 505 |
| Zadiolcogaster anomus | 366, 367 |
| Zaglyptomorpha attenuata | 385 |
| Zamastrus photopsis | 386 |
| Zelomorpha arizonensis | 368 |
| Zygothripe femoralis | 40 |


UNIV. OF MICHIGAN.
JUL 14 1914